

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	57	Elzur-uri.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 17:18
S3	2	("5958017").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 12:05
S5	2	("6611883").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:27
S6	2	("5889956").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:25
S7	2	("5999518").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:25
S8	50475	(resource\$1 or buffer\$1) near2 manag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:28
S9	5085	(resource\$1 or buffer\$1) near2 manag\$5 with (provision\$3 or provid\$3 or suppl\$4 or grant\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:31
S10	1486	(resource\$1 or buffer\$1) near2 manag\$5 with (provision\$3 or provid\$3 or suppl\$4 or grant\$4) and (queue\$1 or queuing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:32

S11	230	(resource\$1 or buffer\$1) near2 manag\$5 with (provision\$3 or provid\$3 or suppl\$4 or grant\$4) same (queue\$1 or queuing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:36
S12	2727	370/412.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:34
S13	578	370/413,414.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:35
S14	94	(resource\$1 or buffer\$1) near2 manag\$5 with (provision\$3 or provid\$3 or suppl\$4 or grant\$4) same (queue\$1 or queuing) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 07:44
S15	64168	(iSCSI or internet adj small adj system adj interface) or (remote adj direct adj memory and access or RDMA) or (direct adj memory and access or DMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:59
S16	94	(resource\$1 or buffer\$1) near2 manag\$5 with (provision\$3 or provid\$3 or suppl\$4 or grant\$4) same (queue\$1 or queuing) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 07:48
S17	25	S15 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 07:48
S19	777	work adj queue adj element\$1 or WQE\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 11:12

S20	261	work adj queue adj element\$1 or WQE\$1 and "710".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 11:11
S21	233	(work adj queue adj element\$1 or WQE\$1) and ("710".clas. or "709". clas. or "370".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 11:11
S22	86	(work adj queue adj element\$1 or WQE\$1) same (threshold\$1 or watermak\$1 or limit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 11:13
S23	158	(work adj queue adj element\$1 or WQE\$1) same (threshold\$3 or watermak\$3 or limit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 11:13
S25	2	("20040085984").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 12:05
S26	32	(work adj queue adj (element\$1 or entr\$3) or WQE\$1) with (threshold \$3 or watermak\$3 or limit \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:15
S27	160	(work adj queue adj (element\$1 or entr\$3) or WQE\$1) same (threshold \$3 or watermak\$3 or limit \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:17
S29	120	(work adj queue adj (element\$1 or entr\$3) or WQE\$1) same (threshold \$3 or watermak\$3 or limit \$4) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:19

S30	234	(work adj queue adj (element\$1 or entr\$3) or WQE\$1) same (threshold\$3 or watermak\$3 or limit\$4 or full or complet\$3 exhaust\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:22
S32	47	(work adj queue adj (element\$1 or entr\$3) or WQE\$1) with (threshold\$3 or watermak\$3 or limit\$4 or full or complet\$3 or exhaust\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:41
S33	73116	(buffer\$ or queue\$) with (threshold\$3 or watermak\$3 or limit\$4 or full or complet\$3 or exhaust\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:42
S34	31630	(buffer\$ or queue\$) near3 (threshold\$3 or watermak\$3 or limit\$4 or full or complet\$3 or exhaust\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:44
S36	26524	(buffer\$ or queue\$) near3 (threshold\$3 or watermark\$1 or level\$1 or limit\$4) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:45
S37	17987	(buffer\$ or queue\$) near2 (threshold\$3 or watermark\$1 or level\$1 or limit\$4) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:45
S38	2300	(buffer\$ or queue\$) near2 (threshold\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:45
S39	6	(buffer\$ or queue\$) near2 (threshold\$3) and RDMA and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:50

S41	1279	low adj level near3 (work adj queue adj elements or WQE\$1 or packet\$1 or data or instruction\$1) same (buffer\$1 or queue \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:54
S42	101	low adj level near3 (work adj queue adj elements or WQE\$1 or instruction \$1) same (buffer\$1 or queue\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 12:54
S43	50	low adj level near3 (work adj queue adj elements or WQE\$1 or instruction \$1) same (buffer\$1 or queue\$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:05
S44	14	low adj level near3 mark same (buffer\$1 or queue \$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:32
S49	14	low adj level near3 mark same (buffer\$1 or queue \$1) and control\$4 and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:19
S50	37	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) and (work adj queue adj (element\$1 or entr\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:19
S51	7043	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) and (limit \$3 or threshold\$3 or value \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:21
S52	626	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (limit \$3 or threshold\$3 or value \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:22

S53	237	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (limit \$3 or threshold\$3 or value \$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:08
S54	87	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (limit \$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:03
S56	12	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (work adj queue adj (element\$1 or entr\$3) or WQES1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:40
S59	90	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (limit \$3 or threshold\$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:04
S60	207	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (intruction\$1 or command \$1 or order\$1 or packet \$1 or frame\$1) with(limit \$3 or threshold\$3 or value \$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:11
S61	204	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (intruction\$1 or command \$1 or order\$1) with(limit \$3 or threshold\$3 or value \$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:11

S62	175	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (intruction\$1 or command \$1 or order\$1 or packet \$1 or frame\$1) with(limit \$3 or threshold\$3 or value \$1) and (queue\$1 or buffer\$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:35
S63	0	(out\$1of\$1order\$3 or out \$1of\$1sequenc\$3 or out \$1of\$1place\$1 or out adj of adj (order\$1 or sequenc \$1 or place\$1)) with (intruction\$1 or command \$1 or order\$1 or packet \$1 or frame\$1) with(limit \$3 or threshold\$3 or value \$1) and (runaway or unsolited) AND (queue \$1 or buffer\$1) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:40
S64	14	share with completion with queue and (internet adj small adj computer adj system adj interface or iSCSI or remote adj direct adj memory adj access or RDMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:07
S65	442	queue adj pair\$1 and resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:08
S66	163	queue adj pair\$1 same resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:08
S67	63	queue adj pair\$1 and resource\$1 and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:09

S68	12	queue adj pair\$1 same resource\$1 and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:09
S69	2	("6721806").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 09:51
S71	798066	(decrement\$4 or decreas \$3 or reduc\$3)with(limit \$1 or value\$1 or threshold \$ or watermak\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 09:55
S72	58678	(decrement\$4 or decreas \$3 or reduc\$3)with(limit \$1 or value\$1 or threshold \$ or watermak\$1) same (buffer\$1 or queue\$1 or memory or resource\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 09:56
S73	5462	(decrement\$4 or decreas \$3 or reduc\$3)with(limit \$1 or value\$1 or threshold \$ or watermak\$1) same (buffer\$1 or queue\$1 or memory or resource\$1) and ("709".clas. or "370". clas. or "710".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 09:58
S74	3225	(decrement\$4 or decreas \$3 or reduc\$3)with(limit \$1 or value\$1 or threshold \$ or watermak\$1) with (buffer\$1 or queue\$1 or memory or resource\$1) and ("709".clas. or "370". clas. or "710".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 09:58
S75	1325	(decrement\$4 or decreas \$3 or reduc\$3)with(limit \$1 or value\$1 or threshold \$ or watermak\$1) with (buffer\$1 or queue\$1 or memory or resource\$1) and ("709".clas. or "370". clas. or "710".clas.) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 12:38



S76	64168	(iSCSI or internet adj small adj system adj interface) or (remote adj direct adj memory and access or RDMA) or (direct adj memory and access or DMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:00
S77	220	S75 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:00
S79	363	(decrement\$4 or decreas\$3 or reduc\$3) adj2 (limit\$1 or value\$1 or threshold\$ or watermak\$1) with (buffer\$1 or queue\$1 or memory or resource\$1) and ("709".clas. or "370".clas. or "710".clas.) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:07
S81	1417	drop\$4 adj (packet\$1 or frame\$1 or Cell\$1 or datagram\$1) with (memory or buffer\$1 or queue\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:08
S82	190	drop\$4 adj (packet\$1 or frame\$1 or Cell\$1 or datagram\$1) with (memory or buffer\$1 or queue\$1) and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:08
S86	617	((decrement\$4 or decreas\$3 or reduc\$3) and (increment\$4 or augment\$5 or increas\$3)) with (limit\$1 or value\$1 or threshold\$ or watermak\$1) with (buffer\$1 or queue\$1 or memory or resource\$1) and ("709".clas. or "370".clas. or "710".clas.) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 12:43

S87	121	((decrement\$4 or decreas\$3 or reduc\$3) adj2 (limit\$1 or value\$1 or threshold\$ or watermak\$1) and (increment\$4 or augment\$5 or increas\$3) adj2 (limit\$1 or value\$1 or threshold\$ or watermak\$1)) with (buffer\$1 or queue\$1 or memory or resource\$1) and ("709".clas. or "370".clas. or "710".clas.) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 12:46
S92	5	(drain\$3 or exhaust\$3 or deplet\$3) with (work adj queue adj (entr\$3 or element\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:13
S93	6	(drain\$3 or exhaust\$3 or deplet\$3) same (work adj queue adj (entr\$3 or element\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:44
S94	54347	(excessive or offend\$3 or too adj much) with (traffic or flow\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:47
S95	13732	(excessive or offend\$3 or too adj much) adj2 (traffic or flow\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:47
S96	1809	(excessive or offend\$3 or too adj much) adj2 (traffic or flow\$1) and (queu\$3 or buffer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:47
S97	651	(excessive or offend\$3 or too adj much) adj1 (traffic or flow\$1) and (queu\$3 or buffer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:48

S98	301	(excessive or offend\$3 or too adj much) adj1 (traffic or flow\$1) and (queue\$3 or buffer\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:49
S103	1762	(excessive or offend\$3 or too adj much) with (traffic or flow\$1) with detect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:56
S104	205	(excessive or offend\$3 or too adj much) adj (traffic or flow\$1) with detect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 14:56
S105	30	(excessive or offend\$3 or too adj much) adj (traffic or flow\$1) with detect\$3 and (queue\$1 or queuing or buffer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 15:26
S106	126	(out\$1of\$1order or out \$1of\$sequence or out adj2 order or out adj2 sequence) adj (packet\$1 or frame\$1 or datagram \$1) with (drop\$4 or discad \$3 or reject\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 15:29
S111	16	(out\$4order or out \$4sequence) same (Work queue elements or WQE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 14:13
S112	39	(out\$4order or out \$4sequence) and (Work queue elements or WQE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 14:20
S113	0	((out\$4order or out \$4sequence) and (Work queue elements or WQE))"clm."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:00

S114	0	((order or sequence) and (Work queue elements or WQE))"clm."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:12
S115	0	((limit or threshold or watermak) and (Work queue elements or WQE))"clm."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:22
S116	48	((limit or threshold or watermak) same (Work queue elements or WQE))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:23
S117	23	((limit or threshold or watermak) with (Work queue elements or WQE))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:23
S118	68	Elzur-uri.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 15:35
S119	68	Elzur-uri.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 15:37
S121	0	((limit or threshold or watermak) same (Work queue elements or WQE)) and 709/235.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:57
S122	4	((limit or threshold or watermak) same (Work queue elements or WQE)) and 370/412.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:57
S123	0	((limit or threshold or watermak) and (Work queue elements or WQE)) and 709/235.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:58

SI 24	1	(Work queue elements or WQE) and 709/235.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 15:58
-------	---	--	---	-----	----	---------------------

6/23/2008 4:40:55 PM

C:\Documents and Settings\Ibell\My Documents\EAST\Workspaces\10688373.wsp